

MATERIAL SAFETY 3M  
 DATA SHEET 3M Center  
 St. Paul, Minnesota  
 55144-1000  
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1999, Minnesota Mining and Manufacturing Company.  
 All rights reserved. Copying and/or downloading of this  
 information for the purpose of properly utilizing 3M products  
 is allowed provided that:

- 1) the information is copied in full with no changes unless  
 prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise  
 distributed with the intention of earning a profit thereon.

DIVISION: SKIN HEALTH DIVISION

TRADE NAME:

TRANSPORE SURGICAL TAPE 1527, 1527B, 1527S

ID NUMBER/U.P.C.:

70-2004-0016-9	07-07387-00281-8	70-2004-0017-7	07-07387-00282-5
70-2004-1936-7	+H-44400-73532-0	70-2004-1939-1	+H-44400-73633-0
70-2004-2725-3	+H-44407-6983H-0	70-2004-2726-1	+H-44407-6993I-0
70-2004-7240-8	- - -	70-2004-7502-1	- - -
70-2004-7525-2	- - -	70-2004-9293-5	+H-44403-46636-0
70-2004-9294-3	+H-44403-46737-0	70-2004-9576-3	- - -
70-2004-9577-1	- - -	70-2005-0824-3	- - -
70-2005-2246-7	+H-44405-97038-0	70-2005-3153-4	+H-44406-29034-0
70-2005-3467-8	+H-44406-5953C-0	70-2005-3468-6	+H-44406-5963D-0

ISSUED: June 17, 1999

SUPERSEDES: February 05, 1998

DOCUMENT: 10-5847-8

-----  
 1. INGREDIENT C.A.S. NO. PERCENT  
 -----

ADHESIVE ACRYLATE;BACKING  
 POLYETHYLENE/ETHYLENE;VINYL ACETATE... Unknown 100.0

-----  
 2. PHYSICAL DATA  
 -----

BOILING POINT:..... N/A  
 VAPOR PRESSURE:..... N/A  
 VAPOR DENSITY:..... N/A  
 EVAPORATION RATE:..... N/A  
 SOLUBILITY IN WATER:..... INSOLUBLE  
 SPECIFIC GRAVITY:..... N/A  
 PERCENT VOLATILE:..... 0  
 pH:..... N/A  
 VISCOSITY:..... N/A  
 MELTING POINT:..... N/D

-----  
 Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
2. PHYSICAL DATA (continued)  
-----

APPEARANCE AND ODOR:  
TRANSLUCENT; SLIGHT ACRYLIC ODOR

-----  
3. FIRE AND EXPLOSION HAZARD DATA  
-----

FLASH POINT:..... N/A  
FLAMMABLE LIMITS - LEL:..... N/A  
FLAMMABLE LIMITS - UEL:..... N/A  
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:  
Water

SPECIAL FIRE FIGHTING PROCEDURES:  
None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS:  
None known.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 1 REACTIVITY: 0  
UNUSUAL REACTION HAZARD: none

-----  
4. REACTIVITY DATA  
-----

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:  
None known.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:  
None known.

-----  
5. ENVIRONMENTAL INFORMATION  
-----

SPILL RESPONSE:  
N/A

RECOMMENDED DISPOSAL:  
DISPOSE OF IN NORMAL WASTE

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
5. ENVIRONMENTAL INFORMATION (continued)  
-----

ENVIRONMENTAL DATA:  
N/A

REGULATORY INFORMATION:  
Volatile Organic Compounds: N/D.  
VOC Less H2O & Exempt Solvents: N/D.

EPCRA HAZARD CLASS:  
FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

-----  
6. SUGGESTED FIRST AID  
-----

EYE CONTACT:  
No need for first aid is anticipated.

SKIN CONTACT:  
If skin irritation occurs, discontinue use.

INHALATION:  
No need for first aid is anticipated.

IF SWALLOWED:  
No need for first aid is anticipated.

-----  
7. PRECAUTIONARY INFORMATION  
-----

EYE PROTECTION:  
Not applicable.

SKIN PROTECTION:  
Not applicable.

RECOMMENDED VENTILATION:  
Not applicable.

RESPIRATORY PROTECTION:  
Not applicable.

PREVENTION OF ACCIDENTAL INGESTION:  
Do not ingest.

RECOMMENDED STORAGE:  
Not applicable.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
7. PRECAUTIONARY INFORMATION (continued)  
-----

FIRE AND EXPLOSION AVOIDANCE:  
Not applicable.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
ADHESIVE ACRYLATE;BACKING					
POLYETHYLENE/ETHYLENE;VINYL					
ACETATE.....	NONE	NONE	NONE	NONE	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:  
- NONE: None Established

-----  
8. HEALTH HAZARD DATA  
-----

EYE CONTACT:  
NO ADVERSE HEALTH EFFECTS EXPECTED.

SKIN CONTACT:  
Mild Skin Irritation (after prolonged or repeated contact):  
signs/symptoms can include redness, swelling, and itching.

INHALATION:  
NO ADVERSE HEALTH EFFECTS EXPECTED.

IF SWALLOWED:  
NO ADVERSE HEALTH EFFECTS EXPECTED.

-----  
SECTION CHANGE DATES  
-----

HEADING SECTION CHANGED SINCE February 05, 1998 ISSUE

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.